



PO Box 470 • 255 Sarazin Street  
Shakopee, Minnesota 55379  
Main 952.445-1988 • Fax 952.445-7767  
www.shakopeeutilities.com

## **Hydrant Meter Rentals Terms and Charges**

### **Agreed Upon Terms**

1. Hydrant meters are to be used only when access to a permanent, metered water source is not readily available.
2. Hydrant meters are to be used for construction purposes only. A potable water supply, irrigation of any type, filling of pools, or flooding of ice rinks are not acceptable uses.
3. SPU will install and remove the hydrant meter at or near the requested project location.
4. Only one hydrant will be allowed to be used in a project area. Hydrant meters will not be relocated.
5. Applicant must ensure proper cross-control measures are always taken (air gaps on water tanks, vacuum breakers on hose bibs, RPZs, double-check valves, etc.)
6. The hydrant meter must be accessible to SPU for meter readings when requested.
7. A copy of this permit must be present and accessible when taking water.
8. This hydrant meter rental permit expires on November 15th of the year it was issued. No water can be taken from any hydrant after this permit has expired without prior approval from SPU.
9. SPU may remove a hydrant meter for any reason, at any time, to prevent damage.
10. This permit can be revoked by SPU at any time.

### **Agreed Upon Charges**

1. A permit fee of \$100.00 is required. Permits expire annually on November 15th. (See Terms.)
2. In addition to the permit fee, a \$500.00 deposit (3/4") or \$1,500.00 deposit (2-1/2") is required before meter and permit are issued. (Deposit to be refunded upon confirmation of undamaged hydrant use and the return of all undamaged equipment issued, minus any use charges.)
3. Equipment (including hydrants, meters and/or accessories) that is damaged or not returned is subject to a repair or replacement charge.
4. A rental fee of \$3.00 per day, including weekends and holidays, will be charged.
5. Water usage will be charged @ \$3.72 per 1,000 gallons of water taken.